ELSEVIER

Brain Research 752 (1997) 331–333

BRAIN RESEARCH

Author Index

Ajilore, O.A. and Sapolsky, R.M.
Application of silicon microphysiometry to tissue slices: detection of metabolic correlates of selective vulnerability (752) 99
Alam, Md.N., McGinty, D. and Szymusiak, R.
Thermosensitive neurons of the diagonal band in rats: relation to wakefulness and non-rapid eye movement sleep (752) 81
Amir, S., see Woodside, B. (752) 319
Ariano, M.A., Wang, J., Noblett, K.L., Larson, E.R. and Sibley, D.R.
Cellular distribution of the rat D_4 dopamine receptor protein in the CNS using anti-receptor antisera (752) 26

Ballabriga, J., Pozas, E., Planas, A.M. and Ferrer, I.
bFGF and FGFR-3 immunoreactivity in the rat brain following systemic kainic acid administration at convulsant doses: localization of bFGF and FGFR-3 in reactive astrocytes, and FGFR-3 in reactive microglia (752) 315
Baltatu, O., Nishimura, H., Hoffmann, S., Stoltenburg, G., Haulica, I.D., Lippoldt, A., Ganten, D. and Urata, H.
High levels of human chymase expression in the pineal and pituitary glands (752) 269
Banik, N.L., Matzelle, D.C., Gantt-Wilford, G., Osborne, A. and Hogan, E.L.
Increased calpain content and progressive degradation of neurofilament protein in spinal cord injury (752) 301
Basile, A.S., see Li, Y. (752) 107
Berg, M.J., Durrie, R., Sapirstein, V.S. and Marks, N.
Composition of white matter bovine brain coated vesicles: evidence that several components influence β-amyloid peptide to form oligomers and aggregates in vitro (752) 72
Bernstein, J.J., see DeGiorgio, L.A. (752) 35
Bhargava, H.N., Cao, Y.-J. and Zhao, G.-M.
Effects of ibogaine and noribogaine on the antinociceptive action of μ-, δ- and κ-opioid receptor agonists in mice (752) 234
Bhargava, H.N., see Cao, Y.-J. (752) 250
Blass, J.P., see DeGiorgio, L.A. (752) 35
Blum, M., see Yeo, T.T. (752) 294
Bondoux, D., see Clément, Y. (752) 127
Bowden, C., Theodorou, A.E., Cheetham, S.C., Lowther, S., Katona, C.L.E., Crompton, M.R. and Horton, R.W.
Dopamine D_1 and D_2 receptor binding sites in brain samples from depressed suicides and controls (752) 227
Bujas, M., see Peričić, D. (752) 279

Calvo, N., see Martijena, I.D. (752) 136
Cao, Y.-J. and Bhargava, H.N.
Effects of ibogaine on the development of tolerance to antinociceptive action of μ-, δ- and κ-opioid receptor agonists in mice (752) 250
Cao, Y.-J., see Bhargava, H.N. (752) 234
Chapouthier, G., see Clément, Y. (752) 127
Cheetham, S.C., see Bowden, C. (752) 227
Clément, Y., Proeschel, M.-F., Bondoux, D., Girard, F., Launay, J.-M. and Chapouthier, G.
Genetic factors regulate processes related to anxiety in mice (752) 127
Corso, T.D., Sesma, M.A., Tenkova, T.I., Der, T.C., Wozniak, D.F., Farber, N.B. and Olney, J.W.
Multifocal brain damage induced by phencyclidine is augmented by pilocarpine (752) 1
Crompton, M.R., see Bowden, C. (752) 227

Dagan, E., see Weizman, R. (752) 307
Dantzer, R., see Johnson, R.W. (752) 219
DeGiorgio, L.A., Bernstein, J.J., Manuelidis, L. and Blass, J.P.
Human A β-amyloid and amyloid precursor protein accumulates in rat brain cells after cultured human leptomeningeal fibroblast implants (752) 35
De Kloet, E.R., see Oitzl, M.S. (752) 189
Der, T.C., see Corso, T.D. (752) 1
Dickinson-Anson, H. and McGaugh, J.L.
Bicuculline administered into the amygdala after training blocks benzodiazepine-induced amnesia (752) 197
Dreixler, J.C. and Leonard, J.P.
Effects of external calcium on zinc modulation of AMPA receptors (752) 170
Durrie, R., see Berg, M.J. (752) 72

Estevez, A.Y. and Phillis, J.W.
The phospholipase A_2 inhibitor, quinacrine, reduces infarct size in rats after transient middle cerebral artery occlusion (752) 203

Farber, N.B., see Corso, T.D. (752) 1
Farkas-Szallasi, T., see Xu, X.-J. (752) 52
Ferrer, I., see Ballabriga, J. (752) 315
Ganten, D., see Baltatu, O. (752) 269
Gantt-Wilford, G., see Banik, N.L. (752) 301
Gavish, M., see Weizman, R. (752) 307
Gheusi, G., see Johnson, R.W. (752) 219
Girard, F., see Clément, Y. (752) 127
Goldstein, B.D., see Zachariou, V. (752) 143
Gonzalez-Lima, F., Valla, J. and Matos-Collazo, S.
Quantitative cytochemistry of cytochrome oxidase and cellular morphometry of the human inferior colliculus in control and Alzheimer's patients (752) 117
Gore, A.C., see Yeo, T.T. (752) 294
Green, E.J., see Kao, K. (752) 90
Grootendorst, J., see Oitzl, M.S. (752) 189
Gustafsson, B., see Pananceau, M. (752) 255

Hagino-Yamagishi, K., Saijoh, Y., Ikeda, M., Ichikawa, M., Minamikawa-Tachino, R. and Hamada, H.
Predominant expression of Brn-2 in the postmitotic neurons of the developing mouse neocortex (752) 261
Hamada, H., see Hagino-Yamagishi, K. (752) 261
Hand, G.A., see Li, J. (752) 45
Haulica, I.D., see Baltatu, O. (752) 269
Havekes, L.M., see Oitzl, M.S. (752) 189
Hernandez, L., see Murzi, E. (752) 184
Hoffmann, S., see Baltatu, O. (752) 269
Hogan, E.L., see Banik, N.L. (752) 301
Hökfelt, T., see Xu, X.-J. (752) 52
Horton, R.W., see Bowden, C. (752) 227

Ibarrola, N. and Rodríguez-Peña, A.
Hypothyroidism coordinately and transiently affects myelin protein gene expression in most rat brain regions during postnatal development (752) 285
Ichikawa, M., see Hagino-Yamagishi, K. (752) 261
Ikeda, M., see Hagino-Yamagishi, K. (752) 261
Ishida, M., see Uyama, Y. (752) 327
Iwamoto, Y., see Yamaki, T. (752) 151

Johnson, R.W., Gheusi, G., Segreti, S., Dantzer, R. and Kelley, K.W.
C3H/HeJ mice are refractory to lipopolysaccharide in the brain (752) 219

Kao, K., Sanders, M.J. and Green, E.J.
Physiological evidence for hippocampal dis-

inhibition resulting from activation of the median raphe (752) 90
Katona, C.L.E., see Bowden, C. (752) 227
Kawaguchi, Y., see Kubota, Y. (752) 175
Kelley, K.W., see Johnson, R.W. (752) 219
Kikuchi, T., see Yamaki, T. (752) 151
Kitagawa, K., see Yang, G. (752) 209
Knyazeva, G.B., see Tolochko, Z.S. (752) 324
Kobori, N., see Yamaki, T. (752) 151
Kubota, Y. and Kawaguchi, Y.
Two distinct subgroups of cholecystokinin-immunoreactive cortical interneurons (752) 175
Kulkarni, S.K., see Reddy, D.S. (752) 61
Kurisu, K., see Youn, S.H. (752) 161
Kustova, Y., see Li, Y. (752) 107

Larson, E.R., see Ariano, M.A. (752) 26
Launay, J.-M., see Clément, Y. (752) 127
Leonard, J.P., see Dreixler, J.C. (752) 170
Li, J., Hand, G.A., Potts, J.T. and Mitchell, J.H.
Identification of hypothalamic vasopressin and oxytocin neurons activated during the exercise pressor reflex in cats (752) 45
Li, Y., Kustova, Y., Sei, Y. and Basile, A.S.
Regional changes in constitutive, but not inducible NOS expression in the brains of mice infected with the LP-BM5 leukemia virus (752) 107
Lippoldt, A., see Baltatu, O. (752) 269
Lowther, S., see Bowden, C. (752) 227
Lucassen, P.J., see Oitzl, M.S. (752) 189
Lumb, B.M., see Waters, A.J. (752) 239
Lundberg, J.M., see Xu, X.-J. (752) 52

Mabuchi, T., see Yang, G. (752) 209
Manuelidis, L., see DeGiorgio, L.A. (752) 35
Marks, N., see Berg, M.J. (752) 72
Martijena, I.D., Calvo, N., Volosin, M. and Molina, V.A.
Prior exposure to a brief restraint session facilitates the occurrence of fear in response to a conflict situation: behavioral and neurochemical correlates (752) 136
Matos-Collazo, S., see Gonzalez-Lima, F. (752) 117
Matsumoto, M., see Yang, G. (752) 209
Matsushita, K., see Yang, G. (752) 209
Matzelle, D.C., see Banik, N.L. (752) 301
McGaugh, J.L., see Dickinson-Anson, H. (752) 197
McGinty, D., see Alam, Md.N. (752) 81
Minamikawa-Tachino, R., see Hagino-Yamagishi, K. (752) 261
Mitchell, J.H., see Li, J. (752) 45
Molina, V.A., see Martijena, I.D. (752) 136
Mulder, M., see Oitzl, M.S. (752) 189
Murakami, N., see Yamaki, T. (752) 151
Murzi, E., Rada, P., Puig de Parada, M., Parada, M.A., Valecillos, B., Tilac, C.A. and Hernandez, L.
Atropine decreases drinking but not feeding and induces less hypothalamic acetylcholine release in diabetic rats (752) 184

Nishimura, H., see Baltatu, O. (752) 269
Noblett, K.L., see Ariano, M.A. (752) 26

Oitzl, M.S., Mulder, M., Lucassen, P.J., Havekes, L.M., Grootendorst, J. and De Kloet, E.R.
Severe learning deficits in apolipoprotein E-knockout mice in a water maze task (752) 189
Olney, J.W., see Corso, T.D. (752) 1
Osborne, A., see Banik, N.L. (752) 301

Pananceau, M. and Gustafsson, B.
NMDA receptor dependence of the input specific NMDA receptor-independent LTP in the hippocampal CA1 region (752) 255
Parada, M.A., see Murzi, E. (752) 184
Peričić, D. and Bujas, M.
Sex differences in bicuculline-induced convulsions: interaction with stress and ligands of benzodiazepine binding sites (752) 279
Phillis, J.W., see Estevez, A.Y. (752) 203
Planas, A.M., see Ballabriga, J. (752) 315
Potts, J.T., see Li, J. (752) 45
Pozas, E., see Ballabriga, J. (752) 315
Proeschel, M.-F., see Clément, Y. (752) 127
Puig de Parada, M., see Murzi, E. (752) 184

Rada, P., see Murzi, E. (752) 184
Reddy, D.S. and Kulkarni, S.K.
Differential anxiolytic effects of neurosteroids in the mirrored chamber behavior test in mice (752) 61
Roberts, J.L., see Yeo, T.T. (752) 294
Rodríguez-Peña, A., see Ibarrola, N. (752) 285

Saijoh, Y., see Hagino-Yamagishi, K. (752) 261
Sakakibara, T., see Yamaki, T. (752) 151
Sakuda, M., see Youn, S.H. (752) 161
Sanders, M.J., see Kao, K. (752) 90
Sapirstein, V.S., see Berg, M.J. (752) 72
Sapolsky, R.M., see Ajilore, O.A. (752) 99
Schmidt, M.
Distribution of centrifugal neurons targeting the soma clusters of the olfactory midbrain among decapod crustaceans (752) 15
Segreti, S., see Johnson, R.W. (752) 219
Sei, Y., see Li, Y. (752) 107
Sesma, M.A., see Corso, T.D. (752) 1
Shinozaki, H., see Uyama, Y. (752) 327
Sibley, D.R., see Ariano, M.A. (752) 26
Snyder, S.H., see Weizman, R. (752) 307
Stoltenburg, G., see Baltatu, O. (752) 269
Szallasi, A., see Xu, X.-J. (752) 52
Szymusiak, R., see Alam, Md.N. (752) 81

Tenkova, T.I., see Corso, T.D. (752) 1
Theodorou, A.E., see Bowden, C. (752) 227
Tilac, C.A., see Murzi, E. (752) 184
Tolochko, Z.S. and Knyazeva, G.B.
Effect of lesion of the hypothalamic mamillary nuclei on skin blood vessel permeability in normal and capsaicin-pretreated rats (752) 324

Ueda, S., see Yamaki, T. (752) 151
Urata, H., see Baltatu, O. (752) 269
Uwahodo, Y., see Yamaki, T. (752) 151
Uyama, Y., Ishida, M. and Shinozaki, H.
DCG-IV, a potent metabotropic glutamate receptor agonist, as an NMDA receptor agonist in the rat cortical slice (752) 327

Valecillos, B., see Murzi, E. (752) 184
Valla, J., see Gonzalez-Lima, F. (752) 117
Volosin, M., see Martijena, I.D. (752) 136

Wakisaka, S., see Youn, S.H. (752) 161
Wang, J., see Ariano, M.A. (752) 26
Waters, A.J. and Lumb, B.M.
Inhibitory effects evoked from both the lateral and ventrolateral periaqueductal grey are selective for the nociceptive responses of rat dorsal horn neurones (752) 239
Weizman, R., Dagan, E., Snyder, S.H. and Gavish, M.
Impact of pregnancy and lactation on $GABA_A$ receptor and central-type and peripheral-type benzodiazepine receptors (752) 307
Wiesenfeld-Hallin, Z., see Xu, X.-J. (752) 52
Woodside, B. and Amir, S.
Lactation reduces Fos induction in the paraventricular and supraoptic nuclei of the hypothalamus after urethane administration in rats (752) 319
Wozniak, D.F., see Corso, T.D. (752) 1

Xu, X.-J., Farkas-Szallasi, T., Lundberg, J.M., Hökfelt, T., Wiesenfeld-Hallin, Z. and Szallasi, A.
Effects of the capsaicin analogue resiniferatoxin on spinal nociceptive mechanisms in the rat: behavioral, electrophysiological and in situ hybridization studies (752) 52

Yagita, Y., see Yang, G. (752) 209
Yamaki, T., Murakami, N., Iwamoto, Y., Sakakibara, T., Kobori, N., Ueda, S., Kikuchi, T. and Uwahodo, Y.
Evaluation of learning and memory dysfunction and histological findings in rats with chronic stage contusion and diffuse axonal injury (752) 151
Yanagihara, T., see Yang, G. (752) 209
Yang, G., Kitagawa, K., Matsushita, K., Mabuchi, T., Yagita, Y., Yanagihara, T. and Matsumoto, M.
C57BL/6 strain is most susceptible to cerebral ischemia following bilateral common carotid occlusion among seven mouse strains: selective neuronal death in the murine transient forebrain ischemia (752) 209
Yeo, T.T., Gore, A.C., Blum, M. and Roberts, J.L.
Protein synthesis-dependent and -independent mechanisms for the regulation of GnRH RNA transcript levels in GT1 cells (752) 294

Yeomans, D.C., see Zachariou, V. (752) 143
Youn, S.H., Sakuda, M., Kurisu, K. and Wakisaka, S.
Regeneration of periodontal primary afferents of the rat incisor following injury of the inferior alveolar nerve with special reference to neuropeptide Y-like immunoreactive primary afferents (752) 161
Zachariou, V., Goldstein, B.D. and Yeomans, D.C.
Low but not high rate noxious radiant skin heating evokes a capsaicin-sensitive increase in spinal cord dorsal horn release of substance P (752) 143
Zhao, G.-M., see Bhargava, H.N. (752) 234